SAFETY DATA SHEET

SILIXIS+ TG6301

1.1 Product identifier		
Trade name:	SILIXIS+	
Article number:	TG6301	
1.2 Relevant identified uses of the substance or mixture and uses advised against		
Use of substance / mixture:	PC24: Lubricants, greases, release products.	
1.3 Details of the supplier of the safety data sheet		
Manufacturer/Supplier:	TYGRIS Industrial Unit 31, Kyle Road Industrial Estate Irvine Ayrshire KA12 8LE Tel +44 (0) 1294 311 066 Fax +44 (0) 1294 277 115 Email technical@tygrisindustrial.com	
Further information obtainable from:	Technical Department	
1.4 Emergency telephone number:	Tel +44 (0) 1294 311 066	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mixture		

Classification under CLP:	This product has no classification under CLP.
2.2. Label elements	This product has no label elements.
2.3. Other hazards	
PBT:	This product is not identified as a PBT/vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



SAFETY DATA SHEET

SILIXIS+ TG6301

SECTION 4: First aid measures

4.1. Description of first aid measures			
Skin contact:	Wash immediately with plenty of soap and water.		
Eye contact:	Bathe the eye with running water for 15 minutes.		
Ingestion:	Wash out mouth with water. Do not induce vomiting. Consult a doctor.		
Inhalation:	Not applicable.		
4.2. Most important symptoms a	4.2. Most important symptoms and effects, both acute and delayed		
Skin contact:	There may be mild irritation at the site of contact.		
Eye contact:	There may be irritation and redness.		
Ingestion:	There may be irritation of the throat.		
Inhalation:	Not applicable.		
Delayed / immediate effects:	Continuous skin contact may cause skin sensitivity and dermatitis.		
4.3. Indication of any immediate medical attention and special treatment needed			
Immediate / special treatment:	Not applicable.		
SECTION 5: Firefighting measures			
5.1 Extinguishing media			
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Carbon dioxide.		
5.2. Special hazards arising from the substance or mixture			
Exposure hazards:	In combustion emits toxic fumes of carbon dioxide / carbon monoxide.		
5.3. Advice for fire-fighters			
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.		



SILIXIS+ TG6301

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	date 3 terester	
Personal precautions:	Refer to section 8 of SDS for personal protection details. Turn leaking containers leakside up to prevent the escape of liquid.	
6.2. Environmental precautions		
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.	
6.3. Methods and material for containment and cleaning up		
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.	
6.4. Reference to other sections		
Reference to other sections:	Refer to section 8 of SDS	
SECTION 7: Handling and storage		
7.1 Precautions for safe handling		
Handling requirements:	Avoid direct contact with the substance.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions:	Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed.	
Suitable packaging:	Not applicable.	
7.3. Specific end use(s)		

Specific end use(s): PC24: Lubricants, greases, release products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters	
Workplace exposure limits:	No data available.
DNEL/PNEC Values	
DNEL / PNEC:	No data available.
8.2. Exposure controls	
Engineering measures:	Not applicable.
Respiratory protection:	Respiratory protection not required.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses.
Skin protection:	Protective clothing.
Environmental:	No special requirement.



SAFETY DATA SHEET

SILIXIS+ TG6301

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
State:	Grease
Colour:	Off-white
Odour:	Odourless
Solubility in water:	Insoluble
Melting point/range °C:	>150
Flash point °C:	>200
Autoflammability °C:	> 200
Relative density:	1.00
9.2. Other information	Not applicable.

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity:	Stable under recommended transport or storage conditions.	
10.2. Chemical stability		
Chemical stability:	Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.	
10.4. Conditions to avoid		
Conditions to avoid:	Heat. Sources of ignition. Flames.	
10.5. Incompatible materials		
Materials to avoid:	Strong oxidising agents. Strong acids.	
10.6. Hazardous decomposition products		
Hazardous decomposition products:	In combustion emits toxic fumes of carbon dioxide / carbon monoxide.	



SAFETY DATA SHEET

SILIXIS+ TG6301

SECTION 11: Toxicological information

SECTION 11: Toxicological info	mation	
11.1. Information on toxicological effects		
Toxicity values:	No data available.	
Symptoms / routes of exposure		
Skin contact:	There may be mild irritation at the site of contact.	
Eye contact:	There may be irritation and redness.	
Ingestion:	There may be irritation of the throat.	
Inhalation:	Not applicable.	
Delayed / immediate effects:	Continuous skin contact may cause skin sensitivity and dermatitis.	
Other information:	Not applicable.	
SECTION 12: Ecological information		
12.1. Toxicity		
Ecotoxicity values:	No data available.	
12.2. Persistence and degradability		
Persistence and degradability:	Biodegradable in part only.	
12.3. Bioaccumulative potential		
Bioaccumulative potential:	Slightly bioaccumulable.	
Bioaccumulative potential:		
Bioaccumulative potential: 12.4. Mobility in soil	Slightly bioaccumulable. Insoluble in water. Absorbed only slowly into soil.	
Bioaccumulative potential: 12.4. Mobility in soil Mobility:	Slightly bioaccumulable. Insoluble in water. Absorbed only slowly into soil.	
Bioaccumulative potential: 12.4. Mobility in soil Mobility: 12.5. Results of PBT and vPvB	Slightly bioaccumulable. Insoluble in water. Absorbed only slowly into soil.	



SILIXIS+ TG6301

SECTION 13: Disposal considerations

13.1. Waste treatment methods		
Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal company.	
Recovery operations:	Not applicable.	
Disposal of packaging:	Dispose of as normal industrial waste.	
NB:	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.	
SECTION 14: Transport information		
Transport class:	This product does not require a classification for transport.	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations:	Not applicable.
-----------------------	-----------------

15.2. Chemical safety assessment

SECTION 16: Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

